

PRICE GUIDE 2024



Lava Vented Front View featuring GlowFire™ Log Technology

This one-of-a-kind masterpiece gives the look and the feel of the log on fire; because it is! Each log is individually orificed and ported allowing the fuel to flow out of the log presenting the most realistic gas log set on the market.



Shown: GFWOC-24 Log Set on 24" Lava Burner



TABLE OF CONTENTS

| Select your Size, Log, Burner, Controls, and Accessories 1 |
|--|
| Minimum Fireplace Dimensions |
| Lava Burner w/ GlowFire™ Log Technology ∠ |
| Bedrock Series 5 |
| Indoor/Outdoor Vented Log Sets and Burners 6 |
| Vented Assembled Burner Systems 7 |
| See Through Logs, Burners, and Assembled Burners 8/9 |
| Jumbo/Jumbo Slimline Log Sets and Burners |
| Vented Contemporary, Cannonballs11 |
| Controls, Twigs, and Accessories, Glass 12/13 |
| Controls and Accessories; Indoor and Outdoor 14 |
| Ventless Log Sets and Burners 15 |
| Outdoor Fire Pit Kits 16 |
| Outdoor Fire Pit Kits and Fire Pit Logs 17 |
| Outdoor Fire Products and Accessories 18 |
| Fire Tables 19 |
| Fire Bowls 20 |
| Kiva Sets and Point of Purchase Displays21 |
| Replacement Parts 22/23 |




















SELECT YOUR...


Size, Log, Burner, Controls, and Accessories.



Front Width

Measure front width, rear width, height and depth of empty fire box.

Refer to sizing chart on the next pages.



MINIMUM FIREPLACE DIMENSIONS

| 28" 34" 40" 46" RONT WIDTH 30" 33" 36" 42" 48" 54" 60" 72" RONT WIDTH 36" 39" 42" 48" 54" 60" | DEPTH 16" 18" 18" 18" DEPTH 14" 14" 16" 16" 16" 16" 14" 14" 14" 14" 16" 16" 16" 16" | 18" 24" 30" 36" MINIMUM FIRE BACK WIDTH 18" 21" 24" 30" 36" 42" 48" 60" MINIMUM FIRE BACK WIDTH 24" 27" 30" 36" 42" | 14" 14" 14" 14" 14" 14" 16" 16" | 52k 58k 64k 76k 81k 86k 150k 175k | ### BTU RATING LI HIGH LOW 40k 18k 55k 30k 75k 40k 85k 48k #### BTU RATING LI 49k 58k 64k 79k 83k 87k 145k 165k #### BTU RATING LI #### BTU RATING LI #### BTU RATING LI ##### BTU RATING LI #### B | |
|--|--|---|--|--|--|-----|
| 34" 40" 46" RONT WIDTH 30" 33" 36" 42" 48" 54" 60" 72" RONT WIDTH 36" 39" 42" 48" 54" 60" | 16" 18" 18" DEPTH 14" 14" 16" 16" 16" DEPTH 14" 14" 14" 16" 16" 16" | 24" 30" 36" MINIMUM FIRE BACK WIDTH 18" 21" 24" 30" 36" 42" 48" 60" MINIMUM FIRE BACK WIDTH 24" 27" 30" 36" | 22" 26" 26" PLACE SIZ HEIGHT 14" 14" 14" 16" 16" PLACE SIZ HEIGHT 14" 14" 14" 14" 14" 14" | 40k 25k 55k 35k 75k 45k 85k 55k ES BTU RATING NG 52k 58k 64k 76k 81k 86k 150k 175k ES BTU RATING NG 52k 58k 64k 76k | 40k 18k 55k 30k 75k 40k 85k 48k 48k 48k 48k 48k 48k 48k 48k 48k 48 | |
| 34" 40" 46" RONT WIDTH 30" 33" 36" 42" 48" 54" 60" 72" RONT WIDTH 36" 39" 42" 48" 54" 60" | 16" 18" 18" DEPTH 14" 14" 16" 16" 16" DEPTH 14" 14" 14" 16" 16" 16" | 24" 30" 36" MINIMUM FIRE BACK WIDTH 18" 21" 24" 30" 36" 42" 48" 60" MINIMUM FIRE BACK WIDTH 24" 27" 30" 36" | 22" 26" 26" PLACE SIZ HEIGHT 14" 14" 14" 16" 16" PLACE SIZ HEIGHT 14" 14" 14" 14" 14" 14" | 55k 35k 75k 45k 85k 55k ES BTU RATING NG 52k 58k 64k 76k 81k 86k 150k 175k ES BTU RATING NG 52k 58k 64k 76k | 55k 30k 75k 40k 85k 48k 48k 48k 48k 48k 48k 48k 49k 58k 64k 79k 83k 87k 145k 165k 49k 58k 64k 79k 58k 64k 79k | |
| 40" 46" RONT WIDTH 30" 33" 36" 42" 48" 54" 60" 72" RONT WIDTH 36" 39" 42" 48" 54" 60" | 18" 18" DEPTH 14" 14" 16" 16" 16" DEPTH 14" 14" 14" 16" 16" | 30" 36" MINIMUM FIRE BACK WIDTH 18" 21" 24" 30" 36" 42" 48" 60" MINIMUM FIRE BACK WIDTH 24" 27" 30" 36" | 26" 26" PLACE SIZ HEIGHT 14" 14" 14" 16" 16" PLACE SIZ HEIGHT 14" 14" 14" 14" 14" 14" | 75k 45k 85k 55k ES BTU RATING NG 52k 58k 64k 76k 81k 86k 150k 175k ES BTU RATING NG | 75k 40k 85k 48k BTU RATING LI 49k 58k 64k 79k 83k 87k 145k 165k BTU RATING LI 49k 58k 64k 79k | |
| 46" RONT WIDTH 30" 33" 36" 42" 48" 54" 60" 72" RONT WIDTH 36" 39" 42" 48" 54" 60" | 18" DEPTH 14" 14" 16" 16" 16" DEPTH 14" 14" 14" 16" 16" | 36" MINIMUM FIRE BACK WIDTH 18" 21" 24" 30" 36" 42" 48" 60" MINIMUM FIRE BACK WIDTH 24" 27" 30" 36" | 26" PLACE SIZ HEIGHT 14" 14" 14" 14" 16" 16" PLACE SIZ HEIGHT 14" 14" 14" 14" 14" 14" | 85k 55k ES BTU RATING NG 52k 58k 64k 76k 81k 86k 150k 175k ES BTU RATING NG 52k 58k 64k 76k | 85k 48k BTU RATING LI 49k 58k 64k 79k 83k 87k 145k 165k BTU RATING LI 49k 58k 64k 79k | |
| RONT WIDTH 30" 33" 36" 42" 48" 54" 60" 72" RONT WIDTH 36" 39" 42" 48" 54" 60" | DEPTH 14" 14" 16" 16" 16" 16" DEPTH 14" 14" 14" 16" 16" | MINIMUM FIRE BACK WIDTH 18" 21" 24" 30" 36" 42" 48" 60" MINIMUM FIRE BACK WIDTH 24" 27" 30" 36" | PLACE SIZ HEIGHT 14" 14" 14" 14" 16" 16" PLACE SIZ HEIGHT 14" 14" 14" 14" 14" | 52k 58k 64k 76k 81k 86k 150k 175k ES BTU RATING NG 52k 58k 64k 76k | ### ATTING LI 49k 58k 64k 79k 83k 87k 145k 165k ### BTU RATING LI 49k 58k 64k 79k | |
| 30" 33" 36" 42" 48" 54" 60" 72" RONT WIDTH 36" 39" 42" 48" 54" 60" | 14" 14" 16" 16" 16" 16" 16" DEPTH 14" 14" 14" 16" 16" | BACK WIDTH 18" 21" 24" 30" 36" 42" 48" 60" MINIMUM FIRE BACK WIDTH 24" 27" 30" 36" | HEIGHT 14" 14" 14" 14" 14" 16" 16" PLACE SIZ HEIGHT 14" 14" 14" 14" 14" | 52k 58k 64k 76k 81k 86k 150k 175k ES BTU RATING NG 52k 58k 64k 76k | 49k 58k 64k 79k 83k 87k 145k 165k BTU RATING LI 49k 58k 64k 79k | |
| 30" 33" 36" 42" 48" 54" 60" 72" RONT WIDTH 36" 39" 42" 48" 54" 60" | 14" 14" 16" 16" 16" 16" 16" DEPTH 14" 14" 14" 16" 16" | 18" 21" 24" 30" 36" 42" 48" 60" MINIMUM FIRE BACK WIDTH 24" 27" 30" 36" | 14" 14" 14" 14" 14" 16" 16" PLACE SIZ HEIGHT 14" 14" 14" 14" | 52k 58k 64k 76k 81k 86k 150k 175k ES BTU RATING NG 52k 58k 64k 76k | 49k 58k 64k 79k 83k 87k 145k 165k BTU RATING LI 49k 58k 64k 79k | |
| 33" 36" 42" 48" 54" 60" 72" RONT WIDTH 36" 39" 42" 48" 54" 60" | 14" 14" 16" 16" 16" 16" 16" DEPTH 14" 14" 16" 16" | 21" 24" 30" 36" 42" 48" 60" MINIMUM FIRE BACK WIDTH 24" 27" 30" 36" | 14" 14" 14" 14" 16" 16" PLACE SIZ HEIGHT 14" 14" 14" 14" | 58k 64k 76k 81k 86k 150k 175k ES BTU RATING NG 52k 58k 64k 76k | 58k 64k 79k 83k 87k 145k 165k BTU RATING L 49k 58k 64k 79k | |
| 36" 42" 48" 54" 60" 72" RONT WIDTH 36" 39" 42" 48" 54" 60" | 14" 16" 16" 16" 16" 16" DEPTH 14" 14" 14" 16" 16" | 24" 30" 36" 42" 48" 60" MINIMUM FIRE BACK WIDTH 24" 27" 30" 36" | 14" 14" 14" 16" 16" PLACE SIZ HEIGHT 14" 14" 14" 14" | 64k 76k 81k 86k 150k 175k ES BTU RATING NG 52k 58k 64k 76k | 64k 79k 83k 87k 145k 165k BTU RATING LI 49k 58k 64k 79k | |
| 42" 48" 54" 60" 72" RONT WIDTH 36" 39" 42" 48" 54" 60" | 16" 16" 16" 16" 16" 16" DEPTH 14" 14" 14" 16" 16" | 30" 36" 42" 48" 60" MINIMUM FIRE BACK WIDTH 24" 27" 30" 36" | 14" 14" 16" 16" PLACE SIZ HEIGHT 14" 14" 14" 14" | 76k 81k 86k 150k 175k ES BTU RATING NG 52k 58k 64k 76k | 79k 83k 87k 145k 165k BTU RATING L 49k 58k 64k 79k | |
| 48" 54" 60" 72" RONT WIDTH 36" 39" 42" 48" 54" 60" | 16" 16" 16" 16" 16" DEPTH 14" 14" 16" 16" | 36" 42" 48" 60" MINIMUM FIRE BACK WIDTH 24" 27" 30" 36" | 14" 14" 16" 16" PLACE SIZ HEIGHT 14" 14" 14" | 81k 86k 150k 175k ES BTU RATING NG 52k 58k 64k 76k | 83k 87k 145k 165k BTU RATING L 49k 58k 64k 79k | |
| 54" 60" 72" RONT WIDTH 36" 39" 42" 48" 54" 60" | 16" 16" 16" 16" DEPTH 14" 14" 14" 16" 16" | 42" 48" 60" MINIMUM FIRE BACK WIDTH 24" 27" 30" 36" | 14" 16" 16" PLACE SIZ HEIGHT 14" 14" 14" 14" | 86k 150k 175k ES BTU RATING NG 52k 58k 64k 76k | 87k 145k 165k BTU RATING L 49k 58k 64k 79k | |
| 60" 72" RONT WIDTH 36" 39" 42" 48" 54" 60" | 16" 16" DEPTH 14" 14" 14" 16" 16" | 48" 60" MINIMUM FIRE BACK WIDTH 24" 27" 30" 36" | 16" 16" PLACE SIZ HEIGHT 14" 14" 14" 14" | 150k 175k ES BTU RATING NG 52k 58k 64k 76k | 145k 165k BTU RATING L 49k 58k 64k 79k | |
| 72" RONT WIDTH 36" 39" 42" 48" 54" 60" | 16" DEPTH 14" 14" 14" 16" 16" | 60" MINIMUM FIRE BACK WIDTH 24" 27" 30" 36" | 16" PLACE SIZ HEIGHT 14" 14" 14" 14" | 175k ES BTU RATING NG 52k 58k 64k 76k | 165k BTU RATING L 49k 58k 64k 79k | |
| 36" 39" 42" 48" 54" 60" | 14" 14" 14" 14" 16" 16" | MINIMUM FIRE BACK WIDTH 24" 27" 30" 36" | PLACE SIZ HEIGHT 14" 14" 14" 14" | 52k 58k 64k 76k | BTU RATING L 49k 58k 64k 79k | |
| 36" 39" 42" 48" 54" 60" | 14" 14" 14" 16" 16" | 24" 27" 30" 36" | 14" 14" 14" 14" 14" | 52k 58k 64k 76k | 49k 58k 64k 79k | |
| 36" 39" 42" 48" 54" 60" | 14" 14" 14" 16" 16" | 24" 27" 30" 36" | 14" 14" 14" 14" | 52k 58k 64k 76k | 49k 58k 64k 79k | |
| 39" 42" 48" 54" 60" | 14" 14" 16" 16" | 27" 30" 36" | 14" 14" 14" | 58k 64k 76k | 58k 64k 79k | |
| 42" 48" 54" 60" | 14" 16" 16" | 30" 36" | 14" 14" | 64k 76k | 64k 79k | |
| 48" 54" 60" | 16" 16" | 36" | 14" | 76k | 79k | |
| 54" 60" | 16" | | | | | |
| 60" | | 42" | 14" | 81k | | |
| | 16" | | | | | 83k |
| DON'T WIDTE | | 48" | 14" | 86k | 87k | |
| DON'T WINT! | | MINIMUM FIRE | PLACE SIZ | ES | | |
| RONT WIDTH | DEPTH | BACK WIDTH | HEIGHT | BTU RATING NG | BTU RATING LI | |
| 30" | 14" | 18" | 16" | 46k | 41k | |
| 33" | 14" | 21" | 16" | 58k | 58k | |
| 36" | 14" | 24" | 16" | 74k | 64k | |
| 42" | 16" | 30" | 16" | 102k | 91k | |
| 48" | 16" | 36" | 16" | 111k | 106k | |
| 54" | 16" | 42" | 16" | 120k | 121k | |
| | | MINIMUM FIRE | PLACE SIZ | ES | | |
| RONT WIDTH | DEPTH | BACK WIDTH | HEIGHT | BTU RATING NG | BTU RATING L | |
| 36" | 21" | 24" | 30" | 103k | 95k | |
| 42" | 21" | 30" | 30" | 112k | 110k | |
| 48" | 21" | 36" | 30" | 150k | 145k | |
| 54" | 21" | 42" | 30" | 165k | 160k | |
| 60" | 21" | 48" | 30" | 195k | 190k | |
| 72" | 21" | 60" | 30" | 230k | 225k | |
| | | MINIMUM FIRE | PLACE SIZ | ES | | |
| RONT WIDTH | DEPTH | BACK WIDTH | HEIGHT | BTU RATING NG | BTU RATING L | |
| 40" | 24" | 36" | 30" | 150k | 145k | |
| 48" | 24" | 42" | 30" | 165k | 160k | |
| 48" 54" | 24" | 48" | 30" | 195k | 190k | |
| | | 60" | 30" | 230k | 225k | |
| 54" | 24" | | 72" 30" 240k | | 230k | |
| 54" 60" | 24" 24" | 1 2 | 30" | 270k | 240k | |
| 54" 60" 72" | | 84" | | | 275k | |
| 54" 60" 72" 84" | 24" | | 30" | 300K | 325k | |
| 54" 60" 72" 84" 96" | 24" 24" | 84" | 30" 30" | 350k | UZUK | |
| F | 48" 54" 60" | RONT WIDTH DEPTH 48" 24" 54" 24" 60" 24" 72" 24" | MINIMUM FIRE RONT WIDTH DEPTH BACK WIDTH 48" 24" 36" 54" 24" 42" 60" 24" 48" 72" 24" 60" 84" 24" 72" | MINIMUM FIREPLACE SIZ RONT WIDTH DEPTH BACK WIDTH HEIGHT 48" 24" 36" 30" 54" 24" 42" 30" 60" 24" 48" 30" 72" 24" 60" 30" 84" 24" 72" 30" 96" 24" 84" 30" | MINIMUM FIREPLACE SIZES | |



MINIMUM FIREPLACE DIMENSIONS

| Budge di Westerd Lieuwe Berne de Brewne | | | | MINIMUM FIRE | PLACE SIZ | ES | | | | | |
|--|------|-------------|-------|--------------|-----------|---------------|---------------|--|--|--|--|
| Bedrock Vented Linear Drop-In Burner | SIZE | FRONT WIDTH | DEPTH | BACK WIDTH | HEIGHT | BTU RATING NG | BTU RATING LP | | | | |
| | 24" | 24" | 15" | 24" | 20" | 30k/20k | 30k/15k | | | | |
| | 36" | 36" | 15" | 36" | 20" | 45k/30k | 45k/20k | | | | |
| | 48" | 48" | 15" | 48" | 20" | 60k/40k | 60k/30k | | | | |
| The state of the s | 60" | 60" | 15" | 60" | 20" | 75k/50k | 75k/40k | | | | |
| | 72" | 72" | 15" | 72" | 20" | 90k/60k | 90k/50k | | | | |
| | 84" | 84" | 15" | 84" | 20" | 105k/70k | 105k/55k | | | | |
| | 96" | 96" | 15" | 96" | 20" | 120k/80k | 120k/60k | | | | |
| KIVA-Burner with controls (Match Lite, SPQMKN/LP, | | | | MINIMUM FIRE | PLACE SIZ | ES | | | | | |
| MVQMKN/LP, MMVKR-NG/LP, MVKEIKN/LP, EIS-N/L) | SIZE | FRONT WIDTH | DEPTH | BACK WIDTH | HEIGHT | BTU RATING NG | BTU RATING LP | | | | |
| 7 7 7 | 18" | 24" | 12" | 12" | 18" | 45k | 35k | | | | |
| /\/\\\\. | 24" | 30" | 12" | 18" | 18" | 52k | 49k | | | | |
| Transport Control of the Control of | 30" | 35" | 12" | 21" | 18" | 65k | 64k | | | | |
| | 1 | | | | | | | | | | |
| 2-Burner See Through with controls (Match Lite, | | | | MINIMUM FIRE | PLACE SIZ | ES | | | | | |
| HCSPQMKN/LP, HCMVQMKN/LP, MMVKR-NG/LP, EIS-N/L) | SIZE | FRONT WIDTH | DEPTH | BACK WIDTH | HEIGHT | BTU RATING NG | BTU RATING LP | | | | |
| | 18" | 30" | 14" | 30" | 14" | 103k | 93k | | | | |
| | 24" | 36" | 14" | 36" | 14" | 118k | 100k | | | | |
| | 30" | 42" | 16" | 42" | 14" | 128k | 115k | | | | |
| | 36" | 48" | 16" | 48" | 14" | 135k | 125k | | | | |
| | 42" | 54" | 16" | 54" | 14" | 140k | 130k | | | | |
| | 48" | 60" | 16" | 60" | 16" | 150k | 145k | | | | |
| | 60" | 72" | 16" | 72" | 16" | 175k | 165k | | | | |
| 2-Burner See Through with controls (MVKEIKN/LP) | | T | | MINIMUM FIRE | | | | | | | |
| | SIZE | FRONT WIDTH | DEPTH | BACK WIDTH | HEIGHT | BTU RATING NG | BTU RATING LP | | | | |
| | 18" | 36" | 14" | 36" | 14" | 103k | 93k | | | | |
| | 24" | 42" | 14" | 42" | 14" | 118k | 100k | | | | |
| | 30" | 48" | 16" | 48" | 14" | _ | 115k | | | | |
| | 36" | 54" | 16" | 54" | 14" | _ | 125k | | | | |
| | 42" | 60" | 16" | 60" | 14" | _ | 130k | | | | |
| 3-Burner See Through with controls (Match Lite, HCSPQMKN/LP, HCMVQMKN/LP, | | | | MINIMUM FIRE | PLACE SIZ | ES | | | | | |
| MMVKR-NG/LP, MVKEIKN/LP, EIS-N/L) | SIZE | FRONT WIDTH | DEPTH | BACK WIDTH | HEIGHT | BTU RATING NG | BTU RATING LP | | | | |
| 1114 | 18" | 30" | 14" | 30" | 16" | 103k | 93k | | | | |
| | 24" | 36" | 14" | 36" | 16" | 118k | 100k | | | | |
| | 30" | 42" | 16" | 42" | 16" | 128k | 115k | | | | |
| | 36" | 48" | 16" | 48" | 16" | 135k | 125k | | | | |
| | 42" | 54" | 16" | 54" | 16" | 140k | 130k | | | | |
| Jumbo-Burner See Through with controls (Match Lite, | | | | MINIMUM FIRE | PLACE SIZ | ES | | | | | |
| HCSPQMKN/LP, HCMVQMKN/LP, MMVKR-NG/LP, MVKEIKN/LP, EIS-N/L) | SIZE | FRONT WIDTH | DEPTH | BACK WIDTH | HEIGHT | BTU RATING NG | BTU RATING LP | | | | |
| 1 | 24" | 36" | 26" | 36" | 30" | 103k | 95k | | | | |
| | 30" | 42" | 26" | 42" | 30" | 112k | 110k | | | | |
| | 36" | 48" | 26" | 48" | 30" | 165k | 155k | | | | |
| | 42" | 54" | 26" | 54" | 30" | 185k | 170k | | | | |
| | 48" | 60" | 26" | 60" | 30" | 210k | 195k | | | | |
| | 60" | 72" | 26" | 72" | 30" | 250k | 235k | | | | |





LAVA VENTED FRONT VIEW BURNER - This one-of-a-kind masterpiece gives the look and the feel of the log on fire; because it is! Each log is individually orificed and ported allowing the fuel to flow out of the log presenting the most realistic gas log set on the market. The revolutionary technology present ultra-realistic style and design to the traditional gas log set. GlowFire™ Log Technology also allows for increased efficiency by using less BTU's and creating a fuller more robust flame effect. The ceramic refractory logs radiate more heat out into the room compared to a traditional concrete gas log set. Available in 4 convenient sizes, gas specific construction, and available with either on/off or variable flame electronic controls. The Lava Burner series and GlowFire™ Log Technology has created a platform for endless log style and future configuration development.

| LAVA VENTED FRONT VIEW BURNER | MODEL# | 18" | 24" | 30" | 36" |
|---|-------------|---------|---------|---------|---------|
| LAVA FRONT VIEW NATURAL GAS ELECTRONIC IGNITION BURNER (EN) | LAFV-##-EN | \$1,619 | \$1,685 | \$1,759 | \$1,975 |
| LAVA FRONT VIEW PROPANE ELECTRONIC IGNITION BURNER (EP) | LAFV-##-EP | \$1,619 | \$1,685 | \$1,759 | \$1,975 |
| LAVA FRONT VIEW NATURAL GAS VARIABLE ELECTRONIC IGNITION BURNER (VEN) | LAFV-##-VEN | \$1,959 | \$2,029 | \$2,099 | \$2,315 |
| LAVA FRONT VIEW PROPANE VARIABLE ELECTRONIC IGNITION BURNER (VEP) | LAFV-##-VEP | \$2,075 | \$2,145 | \$2,215 | \$2,430 |
| GLOWFIRE™ ARIZONA WEATHERED OAK CHARRED LOGS | GFWOC-## | \$659 | \$769 | \$1099 | \$1299 |

Includes Burner, Lava Rock, Black Embers, Flex Line, Damper Clamp, Manual, and Rotating Plate.

EN/EP = ON/OFF Dexen Controls

VEN/VEP = Variable SIT Proflame 1 Controls



BEDROCK SERIES



BEDROCK TRADITIONAL - The Traditional featuring NEW GlowFire™ Log Technology, The first-of-its-kind on the open face fireplace integrates the burn tubes inside the actual logs, giving the look and feel of the log on fire. GlowFire™ Logs are specifically designed to bring more fuel efficiencies to the gas log market by consuming less fuel while still creating a fuller

more robust flame compared to a traditional gas log set. The ceramic log mixture radiates more heat out into the room while also creating less flame infringement drastically reducing sooting. *Must add lava rock or 1/2" reflective glass and GlowFire™ Logs.

| TRADITIONAL | MODEL# | 48" | 60" | 72" |
|---|------------|--------|--------|--------|
| BEDROCK TRADITIONAL DROP-IN BURNER NATURAL GAS FEATURING GLOWFIRE LOGS (EN) | LDBT##L-EN | \$2005 | \$2205 | \$2495 |
| BEDROCK TRADITIONAL DROP-IN BURNER PROPANE FEATURING GLOWFIRE™ LOGS (EP) | LDBT##L-EP | \$2250 | \$2465 | \$2845 |
| WESTERN DRIFTWOOD BEDROCK TRADITIONAL GLOWFIRE™ LOGS | LDBT-DW## | \$1026 | \$1389 | \$1489 |

*Must Add Logs. Includes Deck, Buse, S.I.T. Controls w/Remote, Led Lights w/Remote, Rating Plate, Installation Manual, Flex Line, and Fittings.



BEDROCK CONTEMPORARY LINEAR DROP-IN BURNER -

Drop-In Burner is specifically designed to fit any trough style masonry fireplace or contemporary designed wood burning fireplace. Operated with an SIT Proflame II control system including convenient flame modulation on a sleek hand held remote. The Bedrock Burner is also the FIRST vented Drop-In

Burner system featuring IC controlled LED lighting that operates with a remote or easy to use App. *Must add Lava Rock or 1/2 Reflective Glass. Cannonballs and Driftwood logs optional.

| N IAND | CONTEMPORARY | MODEL# | 24" | 36" | 48" | 60" | 72" | 84" | 96" |
|-----------|-----------------------------------|-----------|--------|--------|--------|--------|--------|--------|--------|
| 1 | LINEAR DROP-IN BURNER & CASE (NG) | LDB##L-EN | \$2669 | \$2836 | \$3036 | \$3258 | \$3448 | \$3626 | \$3826 |
| | LINEAR DROP-IN BURNER & CASE (LP) | LDB##L-EP | \$2725 | \$2892 | \$3092 | \$3314 | \$3504 | \$3682 | \$3882 |

Includes Case, Burner, S.I.T. Controls w/Remote, LED Lights w/Remote, Rating Plate, Installation Manual, Flex Line, and Fittings.



BEDROCK II VENTLESS LINEAR DROP-IN BURNER - Operated with an SIT Proflame II control system including convenient flame modulation on a sleek hand held remote. The Ventless Bedrock Burner is also the LARGEST ventless Drop-In Burner system at 60" featuring IC controlled LED lighting that operates with a remote or easy to use App. Available in 4 convenient sizes,

install indoors or under a covered patio & add 1/2" reflective glass to finish off. Easy to use app. Use glass media only. Must add 1/2" reflective glass.

| VENTLESS | MODEL# | 24" | 36" | 48" | 60" | |
|---|-------------|--------|--------|--------|--------|--|
| BEDROCK II VENTLESS LINEAR DROP-IN BURNER & CASE NATURAL GAS | VFLDB##L-EN | \$2669 | \$2836 | \$3036 | \$3258 | |
| BEDROCK II VENTLESS LINEAR DROP-IN BURNER & CASE PROPANE | VFLDB##L-EP | \$2725 | \$2892 | \$3092 | \$3314 | |

Includes Case, Burner, S.I.T. Controls w/Remote, LED Lights w/Remote, Rating Plate, Installation Manual, Flex Line, and Fittings.



SELECT YOUR INDOOR/OUTDOOR LOGS



VENTED LOGS - All logs manufactured by Grand Canyon Gas Logs are individually cast and hand painted to perfection. All logs are built with a high temperature concrete, ceramic refractory, and stainless steel fiber mesh. Logs installed indoors carry a lifetime warranty and logs that are installed outside carry a 5-year warranty.

| VENTED GAS LOG SET | BURNER COMPATIBILITY | Y MODEL# | 18" | 21" | 24" | 30" | 36" | 42" | 48" | 60" | |
|------------------------------------|-------------------------|-----------------|-----------------------|-----------------------|-----------------------|---------------------|-----|----------------------|----------------------|----------------------|-----|
| ARIZONA WEATHERED OAK (AWO) | 2 & 3 | AWO##LOGS | \$255 36#/1 | \$320 44#/1 | \$442 63#/1 | \$632 103#/1 | | | \$1333 205#/2 | \$1493 215#/2 | |
| ARIZONA JUNIPER (AJ) | 2 & 3 | AJ##LOGS | \$314 35#/1 | \$372 43#/1 | \$496 56#/1 | \$685 105#/1 | | \$1127 210#/2 | | | |
| QUAKING ASPEN (ASPEN) | 2 & 3 | ASPEN##LOGS | \$314 35#/1 | | \$496 43#/1 | \$685 120#/1 | | | | \$1544* 255#/2 | |
| ARIZONA WEATHERED OAK CHARRED (AWO | 2 & 3 | AWOC##LOGS | \$372 45#/1 | | \$502 72#/1 | \$727 115#/1 | | \$1132 205#/2 | | | |
| WESTERN DRIFTWOOD (DRIFTWOOD) | 2 & 3 I | DRIFTWOOD##LOGS | \$314 35#/1 | \$372 43#/1 | \$496 56#/1 | \$685 105#/2 | | \$1127 210#/2 | | | |
| | | | | | | | | | | | - 1 |

*NEW ITEM **##=SIZE Weight/Boxes

SELECT YOUR BURNER





VENTED BURNERS - 100% American manufactured burners listed and tested to the ANSI standard. Indoor burners feature ceramic coated chassis with metal stock burner tubes all welded together. Burner denoted "-SS" are stainless steel for outdoor use. Available with logs AWO, AWOC, AJ, ASPEN, and DRIFTWOOD. All burner kits include burner, lava rock, black embers, fittings, flex line, damper clamp, and vermiculite (LP ONLY). For LP refer to assembled systems.

| INDOOR VENTED BURNERS SET | MODEL# | 18" | 21" | 24" | 30" | 36" | 42" | 48" | 60" |
|---------------------------|---------|---------------------|---------------------|----------------------|---------------------|---------------------|---------------------|-----------------------|-----------------------|
| GRAND CANYON 2-BURNER | 2BRN-## | \$322 30# | \$377 35# | \$407 45# | \$460 50# | \$636 55# | \$774 60# | \$1214* 75# | \$1390* 85# |
| GRAND CANYON 3-BURNER | 3BRN-## | \$523 33# | \$579 38# | \$ 604 48# | \$662 53# | \$837 58# | \$975 63# | | |

*Height Profile of a 3-Burner. Logs Not Included

| OUTDOOR VENTED BURNERS SET | MODEL# | 18" | 21" | 24" | 30" | 36" | 42" | 48" | 60" |
|----------------------------|------------|---------------------|---------------------|---------------------|-------------------|----------------------|----------------------|----------------------|----------------------|
| GRAND CANYON 2-BURNER | 2BRN-##-SS | \$578 30# | \$672 35# | \$724 45# | \$806 50# | \$1101 55# | \$1332 60# | \$1931 75# | \$2509 85# |
| GRAND CANYON 3-BURNER | 3BRN-##-SS | \$806 33# | \$929 38# | \$1076 48# | \$1164 53# | \$1416 58# | \$1497 63# | | |

*##=SIZE Logs Not Included



SELECT YOUR ASSEMBLED BURNER





2 Burner (2BRN-24-NG-SP)

3 Burner (3BRN-24-NG-MVKEI-GCRK)

ASSEMBLED INDOOR 2 AND 3 BURNERS - Assembled burner systems feature factory tested and installed control systems. Tested to the ANSI standard, these assembled systems are a plug and play approach. Indoor use ONLY, ceramic coated chassis with metal bar stock burner tubes all welded together. Available with logs AWO, AWOC, AJ, ASPEN, and DRIFTWOOD. All burner kits include burner, lava rock, black embers, flex line, damper clamp, and vermiculite (LP ONLY).

| ASSEMBLED INDOOR 2-BURNER SERIES MODEL# | 18" | 21" | 24" | 30" | 36" | 42" | 48" | 60" |
|--|--------|--------|--------|--------|--------|--------|--------|--------|
| 2BRN-##-NG-SP Assembled 2 burner natural gas with safety pilot system. | \$513 | \$569 | \$599 | \$651 | \$828 | \$966 | \$1405 | \$1582 |
| 2BRN-##-NG-MVK-GCRK Assembled 2 burner natural gas with millivolt and remote system. | \$901 | \$956 | \$986 | \$1039 | \$1215 | \$1353 | \$1793 | \$1969 |
| 2BRN-##-NG-MMVR Assembled 2 burner natural gas with modulating millivolt and remote system. | \$1005 | \$1060 | \$1090 | \$1143 | \$1319 | \$1457 | \$1897 | \$2073 |
| 2BRN-##-NG-MVKEI-GCRK Assembled 2 burner natural gas with battery electronic and remote system. | \$1206 | \$1261 | \$1291 | \$1344 | \$1520 | \$1658 | \$2098 | \$2274 |
| 2BRN-##-LP-SP Assembled 2 burner propane with safety pilot system. | \$567 | \$623 | \$652 | \$705 | \$881 | \$1019 | \$1459 | \$1635 |
| 2BRN-##-LP-MVK-GCRK Assembled 2 burner propane with millivolt and remote system. | \$976 | \$1032 | \$1061 | \$1114 | \$1290 | \$1428 | \$1868 | \$2044 |
| 2BRN-##-LP-MMVR Assembled 2 burner propane with modulating millivolt remote. | \$1058 | \$1114 | \$1144 | \$1196 | \$1372 | \$1510 | \$1950 | \$2126 |
| 2BRN-##-LP-MVKEI-GCRK Assembled 2 burner propane with battery electronic and remote system. | \$1282 | \$1337 | \$1367 | \$1420 | \$1596 | \$1734 | \$2174 | \$2350 |

Logs Not Included

| ASSEMBLED INDOOR 3-BURNER SERIES MODEL# | 18" | 21" | 24" | 30" | 36" | 42" |
|--|--------|--------|--------|--------|--------|--------|
| 3BRN-##-NG-SP Assembled 3 burner natural gas with safety pilot system. | \$714 | \$771 | \$796 | \$1097 | \$1273 | \$1411 |
| 3BRN-##-NG-MVK-GCRK Assembled 3 burner natural gas with millivolt and remote system. | \$1102 | \$1158 | \$1183 | \$1448 | \$1623 | \$1761 |
| 3BRN-##-NG-MMVR Assembled 3 burner natural gas with modulating millivolt and remote system. | \$1206 | \$1262 | \$1287 | \$1345 | \$1520 | \$1658 |
| 3BRN-##-NG-MVKEI-GCRK Assembled 3 burner natural gas with battery electronic and remote system. | \$1406 | \$1463 | \$1488 | \$1545 | \$1721 | \$1859 |
| 3BRN-##-LP-SP Assembled 3 burner propane with safety pilot system. | \$768 | \$824 | \$849 | \$907 | \$1082 | \$1220 |
| 3BRN-##-LP-MVK-GCRK Assembled 3 burner propane with millivolt and remote system. | \$1177 | \$1233 | \$1258 | \$1316 | \$1491 | \$1629 |
| 3BRN-##-LP-MMVR Assembled 3 burner propane with modulating millivolt remote. | \$1259 | \$1316 | \$1341 | \$1398 | \$1573 | \$1711 |
| 3BRN-##-LP-MVKEI-GCRK Assembled 3 burner propane with battery electronic and remote system. | \$1483 | \$1539 | \$1564 | \$1622 | \$1797 | \$1935 |

*##=SIZE Logs Not Included



SELECT YOUR SEE THROUGH LOG SET




VENTED SEE THROUGH INDOOR/OUTDOOR LOGS - All logs manufactured by Grand Canyon Gas Logs are individually cast and hand painted to perfection. All logs are built with a high temperature concrete, ceramic refractory, and stainless-steel fiber mesh. Logs installed indoors carry a lifetime warranty and logs that are installed outside carry a 5-year warranty.

| SEE THROUGH LOG SETS | COMPATIBILITY | MODEL# | 18" | 24" | 30" | 36" | 42" | 48" | 60" |
|---|---------------|------------------|----------------------|-------------------------|-----------------------|------------------------|--------------------------|-----|-----|
| ARIZONA WEATHERED OAK (AWOST) | 2,3 | AWOST##LOGS | \$320 38#/1/7 | \$502 71#/1/8 | \$691 115#/1/9 | | \$1238 196#/2/13 | | |
| WESTERN DRIFTWOOD (DRIFTWOODS | ST) 2,3 D | RIFTWOODST##LOGS | \$372 33#/1/7 | \$561 80#/1/8 | \$749 113#/1/9 | \$933 153#/2/10 | \$1215 241#/2/12 | | |
| QUAKING ASPEN (ASPENST) | 2,3 | ASPENST##LOGS | \$372 33#/1/7 | \$561 80#/1/8 | \$770 113#/1/9 | \$933 153#/2/10 | \$1238* 245#/2/13 | | |
| ARIZONA JUNIPER (AJST) | 2,3 | AJST##LOGS | \$372 33#/1/7 | \$561 80#/1/8 | \$749 113#/1/9 | \$933 153#/2/10 | \$1215 241#/2/12 | | |
| ARIZONA WEATHERED OAK CHARREI (AWOCST) | 2,3 | AWOCST##LOGS | \$372 33#/1/8 | \$561 80#/1/8 | \$785 113#/1/9 | \$998 153#/2/10 | \$1268 241#/2/12 | | |

*NEW ITEM **##=SIZE

Weight/Boxes/Log Number In Set

SELECT YOUR SEE THROUGH BURNER



rner See Through - Stainless Steel (2BRN-ST24-SS)



3 Burner - See Through (3BRN-ST24)



Burner See Through - Stainless Steel (3BRN-ST24-SS)

SEE THROUGH BURNERS - 100% American manufactured burners listed and tested to the ANSI standard. Indoor burners feature ceramic coated chassis with metal bar stock burner tubes all welded together. Burner denoted "-SS" are stainless steel for outdoor use. Available with logs AWO, AWOC, AJ, ASPEN, and DRIFTWOOD. All burner kits include burner, lava rock, black embers, fittings, flex line, damper clamp, and vermiculite (LP ONLY). For LP refer to assembled systems page.

| SEE THROUGH BURNERS | MODEL# | 18" | 24" | 30" | 36" | 42" | 48" | 60" |
|----------------------|-----------|------------------|----------------------|-------------------|-------------------|----------------------|------------------------|-----------------------|
| SEE THROUGH 2-BURNER | 2BRN-ST## | \$629 30# | \$742 45# | \$811 50# | \$1011 55# | \$1212 60# | \$1705 * 75# | \$2087* 85# |
| SEE THROUGH 3-BURNER | 3BRN-ST## | \$937 33# | \$1076 48# | \$1233 53# | \$1610 58# | \$1880 63# | | |

 $^{\star}2$ Burner System, Middle and Elevated Back Burner w/Height of the 3 Burner.

Logs Not Included

| SEE THROUGH STAINLESS STEEL BURNERS | MODEL# | 18" | 24" | 30" | 36" | 42" | 48" | 60" |
|--------------------------------------|--------------|-------------------|----------------------|-------------------|-------------------|-------------------|-------------------|----------------------|
| SEE THROUGH STAINLESS STEEL 2-BURNER | 2BRN-ST##-SS | \$1118 30# | \$1320 45# | \$1440 50# | \$1797 55# | \$2150 60# | \$2426 75# | \$2953 90# |
| SEE THROUGH STAINLESS STEEL 3-BURNER | 3BRN-ST##-SS | \$1345 33# | \$1785 48# | \$1949 53# | \$2382 58# | \$2490 63# | | |

Note: Stainless Steel See Through Burners are Special Order, 2-3 Weeks Lead Time. **##=SIZE

Logs Not Included



SELECT YOUR SEE THROUGH ASSEMBLED BURNER





3 Burner (3BRN-ST24-NG-MVKEI-GCRK)

ASSEMBLED INDOOR 2 AND 3 BURNER SEE THROUGH SYSTEMS - 100% American manufactured burners listed and tested to the ANSI standard. Indoor burners feature ceramic coated chassis with metal bar stock burner tubes all welded together. Burner denoted "-SS" are stainless steel for outdoor use. Available with logs AWO, AWOC, AJ, ASPEN, and DRIFTWOOD. All burner kits include burner, lava rock, black embers, fittings, flex line, damper clamp, and vermiculite (LP ONLY). For LP refer to assembled systems.

| ASSEMBLED SEE THROUGH INDOOR 2-BURNER SERIES MODEL# | 18" | 24" | 30" | 36" | 42" | 48" | 60" |
|---|--------|--------|--------|--------|--------|--------|--------|
| 2BRN-ST-##-NG-SP Assembled 2 burner natural gas with safety pilot system. | \$820 | \$934 | \$1003 | \$1203 | \$1403 | \$1897 | \$2279 |
| 2BRN-ST-##-NG-MVK-GCRK Assembled 2 burner natural gas with millivolt and remote system. | \$1208 | \$1321 | \$1390 | \$1590 | \$1791 | \$2284 | \$2666 |
| 2BRN-ST##-NG-MMVR Assembled 2 burner natural gas with modulating millivolt and remote system. | \$1312 | \$1425 | \$1494 | \$1694 | \$1895 | \$2388 | \$2770 |
| 2BRN-ST-##-NG-MVKEI-GCRK Assembled 2 burner natural gas with battery electronic and remote system. | \$1513 | \$1626 | \$1695 | \$1895 | \$2096 | \$2589 | \$2971 |
| 2BRN-ST-##-LP-SP Assembled 2 burner propane with safety pilot system. | \$874 | \$987 | \$1056 | \$1256 | \$1457 | \$1950 | \$2332 |
| 2BRN-ST-##-LP-MVK-GCRK Assembled 2 burner propane with millivolt and remote system. | \$1283 | \$1396 | \$1465 | \$1665 | \$1866 | \$2359 | \$2741 |
| 2BRN-ST-##-LP-MMVR Assembled 2 burner propane with modulating millivolt remote. | \$1365 | \$1479 | \$1548 | \$1747 | \$1948 | \$2442 | \$2824 |
| 2BRN-ST-##-LP-MVKEI-GCRK Assembled 2 burner propane with battery electronic and remote system. | \$1589 | \$1702 | \$1771 | \$1971 | \$2172 | \$2665 | \$3047 |

^{*2} Burner System, Middle & Elevated Back Burner w/Height of the 3 Burner.

Logs Not Included

| ASSEMBLED INDOOR 3-BURNER SERIES MODEL# | 18" | 24" | 30" | 36" | 42" |
|---|--------|--------|--------|--------|--------|
| 3BRN-ST-##-NG-SP Assembled 3 burner natural gas with safety pilot system. | \$1128 | \$1267 | \$1669 | \$2046 | \$2316 |
| 3BRN-ST-##-NG-MVK-GCRK Assembled 3 burner natural gas with millivolt and remote system. | \$1516 | \$1655 | \$2019 | \$2396 | \$2666 |
| 3BRN-ST-##-NG-MMVR Assembled 3 burner natural gas with modulating millivolt and remote system. | \$1620 | \$1759 | \$1916 | \$2293 | \$2563 |
| 3BRN-ST-##-NG-MVKEI-GCRK Assembled 3 burner natural gas with battery electronic and remote system. | \$1821 | \$1961 | \$2177 | \$2494 | \$2764 |
| 3BRN-ST-##-LP-SP Assembled 3 burner propane with safety pilot system. | \$1182 | \$1321 | \$1479 | \$1856 | \$2125 |
| 3BRN-ST-##-LP-MVK-GCRK Assembled 3 burner propane with millivolt and remote system. | \$1591 | \$1730 | \$1887 | \$2264 | \$2534 |
| 3BRN-ST-##-LP-MMVR Assembled 3 burner propane with modulating millivolt remote. | \$1673 | \$1812 | \$1970 | \$2347 | \$2617 |
| 3BRN-ST-##-LP-MVKEI-GCRK Assembled 3 burner propane with battery electronic and remote system. | \$1897 | \$2036 | \$2193 | \$2570 | \$2840 |

*##=SIZE Logs Not Included



SELECT YOUR JUMBO/JUMBO SLIMLINE



VENTED JUMBO LOG SETS - Indoor/Outdoor Logs, All logs manufactured by Grand Canyon Gas Logs are individually cast and hand painted to perfection. All logs are built with a high temperature concrete with a ceramic refractory and Stainless-Steel fiber mesh. Logs installed indoors carry a lifetime warranty and logs that are installed outside carry a 5-year warranty.

| ARIZONA WEATHERED OAK JUMBO* JUMBOAWO##LOGS \$1346 \$1823 \$2000 \$2453 225#/3/11 \$25#/3/15 \$35#/3/15 \$4169 \$4783 \$650#/6/0 7 | | | | 30 | 42 | 48 | 60 | 12" | 84" | 96" | 108" | 120" |
|--|-----------------------------|--------------------|--|----|----|----|----|-----|-----|-----|------|------|
| | ZONA WEATHERED OAK JUMBO* | JUMBOAWO##LOGS | | | | | | | | | | |
| | WEATHERED OAK CHARRED JUMBO | JUMBOAWOC##LOGS | | | | | | | | | | |
| AZ WEATHERED OAK JUMBO SLIM** JUMBOSLIMAWO##LOGS \$744 \$904 \$1351 \$1828 \$2004 \$2464 \$150#/3/15 \$1828 \$2004 \$25464 \$150#/3/15 \$1828 \$2004 \$2464 \$150#/3/15 \$1828 \$2004 \$2464 \$150#/3/15 \$1828 \$2004 \$2464 \$150#/3/15 \$1828 \$2004 \$2464 \$150#/3/15 \$1828 \$2004 \$2464 \$150#/3/15 \$1828 \$2004 \$2464 \$150#/3/15 \$1828 \$2004 \$2464 \$150#/3/15 \$1828 \$2004 \$2464 \$150#/3/15 \$1828 \$2004 \$2464 \$150#/3/15 \$1828 \$2004 \$2464 \$150#/3/15 \$1828 \$2004 \$100#/3/15 \$1828 \$2004 \$100#/3/15 \$1828 \$100#/3/15 | WEATHERED OAK JUMBO SLIM** | JUMBOSLIMAWO##LOGS | | | | | | | | | | |

*Only 21" Deep Burners. **Only 18" Deep Burners.

Weight/Boxes/Log Number in Set

 JUMBO SEE THROUGH LOG SET
 MODEL#
 24"
 30"
 36"
 42"
 48"
 60"
 72"
 84"
 120"

 *AZ WEATHERED OAK JUMBO SEE THROUGH
 JUMBOAWOST##LOGS
 \$1104 115#/3/9
 \$1127 15#/3/10
 \$1473 15#/3/10
 \$1952 150#/3/13
 \$2142 240#/3/13
 \$2614 240#/3/13
 \$3939 25#/3/15
 \$4079 365#/3/15
 \$6434 5/30

*Only 24" Deep Burners.

Weight/Boxes/Log Number in Set

SELECT YOUR JUMBO/JUMBO SLIMLINE BURNER









JUMBO SERIES BURNERS - Ceramic coated chassis w/metal barstock and burner tubes all welded together. Available w/JUMBO/JUMBOSLIM AWO Logs ONLY. Fits Isokern Magnum Series 18" Deep Burner. Burners denoted - "-SS" are for outdoor use. All burners include lava rock, fittings, flex line, embers, and damper clamp.

| "-SS" are for outdoor use. All burners include lava rock, fittings, flex line, embers, and damper clamp. ALL burners NG. | | | | | | | | | | | |
|---|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|------|
| VENTED FRONT VIEW JUMBO BURNERS MODEL# | 24" | 30" | 36" | 42" | 48" | 60" | 72" | 84" | 96" | 108" | 120" |

| VENTED FRONT VIEW JUMBO BU | RNERS MODEL# | 24" | 30" | 36" | 42" | 48" | 60" | /2" | 84" | 96" | 108" | 120" |
|--|------------------|-------------------|---------------|----------------------|-----------------------|-----------------------|----------------|------------------------|---------------------|------------------------|--------------------|--------------------|
| JUMBO FRONT VIEW BURNER | JUMBOBRNR-## | | | \$2665 95# | \$2942 110# | \$3217 130# | \$3708 160# | \$ 5230 190# | \$ 5891 230# | \$ 6802 250# | \$7328 280# | \$8116 280# |
| JUMBO SLIMLINE BURNER | JUMBOSLIMBRNR-## | \$1742 55# | \$1956 65# | \$2388 75# | \$2615 90# | \$2917 110# | \$3339 140# | \$5230 170# | | | | |
| *Sizes 72"+ Special Order Burner, 3-4 We | eeks Lead Time. | | | | | | | | | Log | gs Not In | cluded |

| | | | | | | | | | , | |
|--|---------------------|-------------------|-------------------|----------------------|-----------------------|-----------------------|------------------------|--------|-----------|---------|
| FRONT VIEW JUMBO STAINLESS STEEL BUF | RNERS MODEL# | 24" | 30" | 36" | 42" | 48" | 60" | 72" | 84" | 120" |
| JUMBO BURNER STAINLESS STEEL | JUMBOBRNR-##-SS | | | \$4105 95# | \$4494 110# | \$4939 130# | \$5676 160# | \$7373 | \$7870 | \$12557 |
| JUMBO SLIMLINE BURNER STAINLESS STEEL* | JUMBOSLIMBRNR-##-SS | \$2874 55# | \$3200 65# | \$3954 75# | \$ 4356 90# | \$4802 110# | \$5 495 140# | | | |
| *Fits Isokern Magnum Series 18" Deep Burner. | | | | | | | | Loç | gs Not In | cluded |

| SEE THROUGH JUMBO BURNERS | MODEL# | 24" | 30" | 36" | 42" | 48" | 60" | 72" | 84" | 120" |
|--|-------------------|-------------------|---------------|-------------------|----------------------|-----------------------|-----------------------|-----------------------|-----------------------|---------------------|
| JUMBO SEE THROUGH BURNER | JUMBOBRNR-ST## | \$2917 55# | \$3596 65# | \$4557 75# | \$5079 90# | \$5777 110# | \$6410 140# | \$7324 165# | \$8341 180# | \$12783 200# |
| JUMBO SEE THROUGH BURNER STAINLESS STEEL | JUMBOBRNR-ST##-SS | | | \$7575 | \$8429 | \$9579 | \$10020 | | | |

Fits Isokern Magnum Series 24" Deep Burner. Stainless Steel See Through Burners are Special Order, 3-4 Weeks Lead Time.

Logs Not Included



VENTED CONTEMPORARY



CANNONBALLS - Available in size 2", 4", and 6". These replica sizes can be installed indoor or outdoor for endless viewing pleasure. These can be paired with the Grand Canyon Gas Logs Glass Burner or H Burner then nestled in a bed of lava granules or crushed reflective glass. Stacking choices are as unique as each piece of history when choosing to stack in a uniform pattern or use all three sizes to create a random unique style.

| CANNONBALLS | MODEL# | PRICE | 18" | 24" | 30" | 36" | 42" | 48" | 60" |
|---|-----------|-----------|-----|-----|-----|----------|--------|---------|---------|
| 2" CANNONBALLS | CB2-12-## | \$111/set | 4 | 5 | 7 | 8 | 9 | 10 | 13 |
| 4" CANNONBALLS | CB4-8-## | \$166/set | 3 | 4 | 5 | 6 | 6 | 8 | 10 |
| ▶ 6" CANNONBALLS | CB6-4-## | \$222/set | 4 | 5 | 6 | 7 | 9 | 10 | 12 |
| ##= COLOR (B) BLACK; (DGY) DARK GRAY; (SIL) | SILVER | | | | SE. | TS: 3 RO | WS DEE | P/2 ROW | /S HIGH |

LINEAR LOGS MODEL# 24" 36" 60" 72" 84" 96" 108" 120" \$685 \$844 \$998 \$1175 \$1310 \$214 \$295 \$420 \$620 LINEAR WESTERN DRIFTWOOD WD-LINEAR-##LOGS 41#/1/9 63#/2/11 85#/2/13 63#/2/16 85#/2/18 93#/2/22 102#/2/24 24#/1/6 32#/1/8

| GLASS BURNERS (INDOOR/OUTDOOR) | MODEL# | 18" | 24" | 30" | 36" | 42" | 48" | 60" | 72" | 84" | 96" |
|-----------------------------------|-------------------|-------|-------|-------|-------|-------|-------|--------|--------|--------|--------|
| GLASS BURNER - NG | GLASSBRN-##/12-H | \$201 | \$209 | \$259 | | | | | | | |
| GLASS BURNER - H STYLE INDOOR | GLASSBRN-##/14-H | | | | \$498 | \$565 | \$819 | \$1051 | \$1308 | \$1705 | |
| GLASS BURNER - H STYLE OUTDOOR GL | ASSBRN-##/12-H-SS | \$266 | \$311 | \$644 | | | | | | | |
| GLASS BURNER - H STYLE OUTDOOR GL | ASSBRN-##/14-H-SS | | | | \$734 | \$912 | \$861 | \$1256 | \$1987 | \$2132 | \$2352 |

Also Choose Lava Granules (HP-B-GR-10) and Glowing Embers (GLE-6B) from Page 12 to Add to Your Order or Choose Glass from Page 13.



Linear Western Driftwood (WD-LINEAR-36LOGS)



Glass Burner - Stainless Steel (GLASSBRN-36/14-H-SS)



Glass Burner W/Modulating Millivolt and Remote System - NG (GLASSBRN-30/12-H-NG-MMVR)

VENTED CONTEMPORARY - ASSEMBLED

ASSEMBLED WITH REMOTE SYSTEM 24" 42" ASSEMBLED GLASS BURNERS (INDOOR/OUTDOOR) MODEL# 18" 30" 36" GLASS BURNER W/MILLIVOLT AND REMOTE SYSTEM - NG GLASSBRN-##/12-H-NG-MVK-GCRK \$780 \$787 \$838 GLASS BURNER W/MILLIVOLT AND REMOTE SYSTEM - NG GLASSBRN-##/14-H-NG-MVK-GCRK \$1144 \$1077 GLASS BURNER W/MILLIVOLT AND REMOTE SYSTEM - LP GLASSBRN-##/12-H-LP-MVK-GCRK \$878 \$863 \$936 GLASS BURNER W/MILLIVOLT AND REMOTE SYSTEM - LP GLASSBRN-##/14-H-LP-MVK-GCRK \$1152 \$1219 \$884 GLASS BURNER W/MODULATING MILLIVOLT AND REMOTE SYSTEM - NG GLASSBRN-##/12-H-NG-MMVR \$837 \$942 GLASS BURNER W/MODULATING MILLIVOLT AND REMOTE SYSTEM - NG GLASSBRN-##/14-H-NG-MMVR \$1181 \$1248 GLASS BURNER W/MODULATING MILLIVOLT AND REMOTE SYSTEM - LP GLASSBRN-##/12-H-LP-MMVR \$938 \$945 \$995 GLASS BURNER W/MODULATING MILLIVOLT AND REMOTE SYSTEM - LP GLASSBRN-##/14-H-LP-MMVR \$1234 \$1301 GLASS BURNER W/BATTERY ELECTRONIC AND REMOTE SYSTEM - NG GLASSBRN-##/12-H-NG-MVKEI-GCRK \$1085 \$923 \$1143 GLASS BURNER W/BATTERY ELECTRONIC AND REMOTE SYSTEM - NG GLASSBRN-##/14-H-NG-MVKEI-GCRK \$1213 \$1449 GLASS BURNER W/BATTERY ELECTRONIC AND REMOTE SYSTEM - LP GLASSBRN-##/12-H-LP-MVKEI-GCRK \$1161 \$1000 \$1219 GLASS BURNER W/BATTERY ELECTRONIC AND REMOTE SYSTEM - LP GLASSBRN-##/14-H-LP-MVKEI-GCRK \$1289 \$1356

Also Choose Lava Granules (HP-B-GR-10) and Glowing Embers (GLE-6B) from Page 12 to Add to Your Order or Choose Glass from Page 13.



CONTROLS, TWIGS, AND ACCESSORIES

| ACCESSORIES | MODEL# | MSRP | FEATURES | BURNER |
|---|---------|-------|---|--|
| GCRK | GCRK | \$169 | Basic On/Off Operations; RF Transmitter & Receiver; LCD Temp Display; Includes Batteries & Wall Plate | MVQMKN/LP; HCMVQMKN/LP; ALL EIS Configurations |
| WBPB-12/24 | WBPB-12 | \$497 | Bluetooth Wi-Fi & Manual Control; Connect with Home Automation or Weather Smart App; 24V System | ALL EIS Configurations: WBECS |
| 72" PILOT EXTENSION FOR WEATHER BEATER PILOT ASSEMBLY (PILOT NOT INCLUDED) | WB-72EX | \$387 | | WBECS & HC-WBECS |
| LARGE INSTALLATION KIT FLEX, KEY, FITTING 3/4 | KIT-LG | \$139 | | |
| SMALL INSTALLATION KIT FLEX, KEY, FITTING 1/2" | KIT-SM | \$116 | | |













AZ JUNIPER TWIG SET (AJTWIG3)

GRANULES (HP-B-GR-10)

VOLCANIC ROCK (HP-B-R-10)

PLATINUM EMBERS (PBE-1)

VERMICULITE (VEM-8)

LAVA PEBBLES (NL-5080)

| TWIG KITS & MEDIA | MODEL# | LBS. | MSRP |
|---|----------------|-------|-------|
| AZ JUNIPER TWIG SET - 3 TWIGS | AJTWIG3 | 7 | \$66 |
| QUAKER ASPEN TWIG SET - 4 TWIGS | ASPENWIG4 | 8 | \$127 |
| AZ WEATHERED OAK CHARRED TWIG SET - 3 TWIGS | AWOCTWIG3 | 9 | \$81 |
| ARIZONA WEATHERED OAK TWIG 3 PC SET - 3 TWIGS | AWOTWIG3 | 9 | \$81 |
| ARIZONA WEATHERED OAK TWIG 5 PC SET - 5 TWIGS | AWOTWIG5 | 15 | \$164 |
| BLUE PINE SPLIT TWIG SET LOGS ONLY 5 PC SET - 5 TWIGS | BPSTWIG5 | 11 | \$152 |
| DRIFTWOOD TWIG SET - 3 TWIGS | DRIFTWOODTWIG3 | 7 | \$66 |
| BLACK GRANULES - 10 LB. BAG | HP-B-GR-10 | 10 | \$23 |
| BLACK VOLCANIC ROCK - 10 LB. BAG | HP-B-R-10 | 10 | \$23 |
| BLACK GLOWING EMBERS - 6 OZ. BAG | GLE-6B | .10 | \$31 |
| PLATINUM BRIGHT EMBERS - 1 GRAM | PBE-1 | .01 | \$19 |
| VERMICULITE - 8 OZ. BAG | VEM-8 | .08 | \$13 |
| 1" - 2" LAVA PEBBLES - 50 LB. BAG | NL-3050 | 50 | \$147 |
| 2" - 3" LAVA PEBBLES - 50 LB. BAG | NL-5080 | 50 | \$147 |
| 1 GRAM BAG GLOWING WIRE | GLW-1 | .0022 | \$10 |
| 6 OZ. BAG BLACK VERMICULITE | VEM-6 | .375 | \$20 |

Indoor/Outdoor Logs Compatible with **All** Grand Canyon Gas Logs Sets. Twigs are an Easy Way to Add Mass and Height to a Gas Log Set. Available in **All** Log Species.

















(RFG-10-PB)

ADRIATIC TOPAZ KRYSTALLO DIAMOND (RFG-10-AT)

(RFG-10-KD)

(RFG-10-VB)

APOLLO BRONZE (RFG-10-AB)

TERRA COPPER (RFG-10-TC)

AMBER DIAMOND (RFG-10-AG)

FIRE GLASS - 1/2" Reflective Premium Fire Glass in 10 lb. Containers.

| GLASS 1/2" CRUSHED REFLECTIVE | MODEL# | LBS | MSRP | PER TUB |
|---|-----------|-----|----------------|---------|
| 1/2" POSEIDON RFG (COBALT) - 10 LB. BAG | RFG-10-PB | 10 | \$5.00 PER LB. | \$50.00 |
| 1/2" ADRIATIC TOPAZ RFG (JASPER) - 10 LB. BAG | RFG-10-AT | 10 | \$5.00 PER LB. | \$50.00 |
| 1/2" KRYSTALLO RFG (STARFIRE) - 10 LB. BAG | RFG-10-KD | 10 | \$5.00 PER LB. | \$50.00 |
| 1/2" VESPER RFG (BLACK) - 10 LB. BAG | RFG-10-VB | 10 | \$5.00 PER LB. | \$50.00 |
| 1/2" APOLLO RFG (BRONZE) - 10 LB. BAG | RFG-10-AB | 10 | \$5.00 PER LB. | \$50.00 |
| 1/2" TERRA RFG (COPPER) - 10 LB. BAG | RFG-10-TC | 10 | \$5.00 PER LB. | \$50.00 |
| 1/2" AMBER DIAMOND RFG (AMBER) - 10 LB. BAG | RFG-10-AG | 10 | \$5.00 PER LB. | \$50.00 |

Indoor/Outdoor Use. Compatible with All Grand Canyon Gas Logs Glass and Fire Pit Burners. Glass is Priced Per Ib., Sold 10 lbs. Per Order. Calculator Found on Grand Canyon Gas Logs Website.







SAFETY PILOT KIT (SPQMKLP)

BATTERY ELECTRONIC (MVKEIKLP)

MODULATING MILLIVOLT (MMVKR-LP)

| • | | | | - / | | , |
|--|-----------------------|----------------|------------|--|----------------|---|
| DESCRIPTION | MODEL# | MSRP | USE | FEATURES | OPTION | S BURNER CAPABILITY |
| MANUAL VALVE HIGH CAPACITY MANUAL VALVE | MA MAHC-GC | \$77 \$98 | I/0 I/0 | Manual On/Off w/Knob or Wrench Operations ONLY; Low Profile Design;, Max Inlet 14" W.C., Valve Temp Rating 300°; 90,000 BTU's (NG/LP) - MA; 240,000 BTU's (NG/LP) - MAHO | NI/A | MA - 2 Burner/Glass/Kiva – 18"–42" (NG/LP) 3 Burner – 18"-30" (NG/LP) |
| SAFETY PILOT NATURAL GAS SAFETY PILOT PROPANE | SPQMKN SPQMKLP | \$192 \$192 | I/0 I/0 | Standing Pilot System; Manual On/Off Operations ONLY; Low Profile Design; Max Inlet 14" W.C.; Valve Temp Rating 300°; (NG) 90,000 BTU's; (LP) 90,000 BTU's | , | 2 Burner/Glass/Kiva – 18"–30" (NG); 18"-42" (LP) 3 Burner – 18"-24" (NG); 18"-36" (LP) Jumbo/Jumbo Slimline - N/A (NG); N/A (LP) |
| HIGH CAPACITY SAFETY PILOT NATURAL GAS HIGH CAPACITY SAFETY PILOT PROPANE | HCSPK-NG HCSPK-LP | \$432 \$453 | I/0 I/0 | Standing Pilot System; Manual On/Off Operation: ONLY; Max Inlet 14" W.C; Valve Temp Rating 250° (NG) 142,000 BTU's; (LP) 142,000 BTU's | N/A | 2 Burner/Glass/Kiva – 18"–42" (NG); 18"-60" (LP) 3 Burner – 18"-42" (NG); 18"-42" (LP) Jumbo/Jumbo Slimline - 24"-30" (NG); 24"-48" (LP) |
| MILLIVOLT QUICK MOUNT KIT NATURAL GAS MILLIVOLT QUICK MOUNT KIT PROPANE | MVQMKN MVQMKLP | \$410 \$432 | IN IN | Standing Pilot System; On/Off Operations ONLY; Low Profile Design; Max Inlet 14" W.C.; Valve Temp Rating 175°; (NG) 3"-5" W.C. 82,000 BTU's; (LP) 8"-12" W.C. 110,000 BTU's | Remote GCWS | 2 Burner/Glass/Kiva – 18"–30" (NG); 18"-42" (LP) 3 Burner – 18"-24" (NG); 18"-36" (LP) Jumbo/Jumbo Slimline – N/A (NG); 24"-30" (LP) |
| MODULATION MILLIVOLT KIT NATURAL GAS MODULATION MILLIVOLT KIT PROPANE | MMVKR-NG MMVKR-LP | \$683 \$683 | IN IN | INCLUDES REMOTE; Standing Pilot System; Variabi Flame Height; Low Profile Design;, Max Inlet 14" W.C.; Valve Temp Rating 225°; (NG) 7" W.C. 120,000 BTU's; (LP) 7"-14" W.C. 120,000 BTU's | e N/A | 2 Burner/Glass/Kiva – 18"–42" (NG); 18"-42" (LP) 3 Burner – 18"-42" (NG); 18"-42" (LP) Jumbo/Jumbo Slimline – 24"–30" (NG); 24"-30" (LP) |
| HIGH CAPACITY MILLIVOLT NATURAL GAS HIGH CAPACITY MILLIVOLT PROPANE | HCMVQMKN HCMVQMKLP | \$617 \$672 | IN IN | Standing Pilot System; High Volume Output Millivo System; On/Off Operations ONLY; Max Inlet 14" W.C.; Valve Temp Rating 175°; (NG) 3"-5" W.C. 240,000 BTU's; (LP) 8"-12" W.C. 320,000 BTU's | Remote GCWS | 2 Burner/Glass/Kiva – 18"-60" (NG); 18"-42" (LP) 3 Burner – 18"-42" (NG); 18"-42" (LP) Jumbo/Jumbo Slimline – 24"-108" (NG); 24"-120" (LP) |
| BATTERY ELECTRONIC NATURAL GAS BATTERY ELECTRONIC PROPANE | MVKEIKN MVKEIKLP | \$715 \$738 | | INCLUDES REMOTE; Non-Standing Pilot; 2-D Cell Battery Electronic Ignition; Pilot on Demanc System; On/Off Operations ONLY; Max Inlet 14" W.C., Valve Temp Rating 175°; (NG) 3"-7" W.C. 120,000 BTU's; (LP) 8"-14" W.C. 140,000 BTU's | | 2 Burner/Glass/Kiva – 18"–60" (NG); 18"–60" (LP) 3 Burner – 18"-42" (NG); 18"-42" (LP) Jumbo/Jumbo Slimline – 24"-30" (NG); 24"-36" (LP) |



INDOOR/OUTDOOR = I/O; INDOOR = IN; OUTDOOR = OUT



CONTROLS & ACCESSORIES (CONT)



ELECTRONIC IGNITION SYSTEM 200K BTU* (EIS)



WEATHER BEATER ELECTRONIC CONTROL SYSTEM (WBECS)

| DESCRIPTION | MODEL# | MSRP | USE | FEATURES | OPTIONS | BURNER CAPABILITY |
|--|----------------|--------|-----|--|--|--|
| ELECTRONIC IGNITION SYSTEM 200K BTU* | EIS | \$1190 | IN | | | |
| ELECTRONIC IGNITION SYSTEM PROPANE 6' PILOT 320K BTU | EIS-LP | \$1289 | IN | Non-Standing Pilot; Pilot on Demand System; 24V Electronic Ignition; On/Off Operations ONLY; In-Wall Design; 6'-10" Pilot Assembly; Max Inlet 14" W.C.; Valve | GCRK (On/Off) Remote GCWS (On/Off) | 2 Burner/Glass/Kiva – 18"–60" (NG); 18"-42" (LP) 3 Burner – 18"-42" (NG); 18"-42" (LP) |
| ELECTRONIC IGNITION SYSTEM 200K BTU 10' PILOT* | EIS-10 | \$1234 | IN | Temp Rating 175°; (NG) 3"-7" W.C. 200,000 BTU's; (LP) 8"-14" W.C. 320,000 BTU's | | Jumbo/Jumbo Slimline – 24"-60" (NG); 24"-96" (LP) |
| ELECTRONIC IGNITION SYSTEM 320K BTU* | EIS-LP-10 | \$1289 | IN | 510 3, (El) 0 14 W.O. 020,000 B10 3 | WDI 012/24 | |
| ELECTRONIC IGNITION SYSTEM NG OUTDOOR 6' PILOT 200K BTU | EIS-OUTDOOR | \$1289 | OUT | | | |
| ELECTRONIC IGNITION SYSTEM 200K BTU | EIS-OUTDOOR 10 | \$1289 | OUT | | | |
| ELECTRONIC IGNITION SYSTEM 320K BTU USE LP | EIS-OUTDOOR-LP | \$1289 | OUT | | | |

 $^{{}^\}star Indoor \, Use \, Only.$ Available in 200K, 350K, and 720K Option.

Compatible with ALL burner, In-Wall System with 6" Pilot Assembly Lead. Value & Components Mounted 12 x 12 x 4 Metal Enclosure. REMOTE OR WALL SWITCH CAN BE ADDED.

| 350K BTU ELECTRONIC IGNITIONS 10' PILOT ASSEMBLY LEAD ELECTRONIC IGNITION SYSTEM 350K BTU | EIS-INDOOR-350-10 EIS-OUTDOOR-350 | | IN OUT | Non-Standing Pilot; Pilot on Demand System; 24V Electronic Ignition; On/Off Operations ONLY; In-Wall Design; 6'-10' Pilot Assembly; Max Inlet 14" W.C.; Valve Temp Rating 175°; (NG) 3"-7" W.C. 350,000 BTU's; (LP) 8"-14" W.C. 560,000 BTU's | Remote GCWS (On/Off) | 2 Burner/Glass/Kiva - 18"-60" (NG); 18"-42" (LP) 3 Burner - 18"-42" (NG); 18"-42" (LP) Jumbo/Jumbo Slimline - 24"-120" (NG); 24"-120" (LP) |
|---|--------------------------------------|--------|-----------|---|---|--|
| 720K BTU ELECTRONIC IGNITION S 6' PILOT ASSEMBLY LEAD | EIS-INDOOR-720 | \$2249 | OUT | | | |
| WEATHER BEATER ELECTRONIC CONTROL SYSTEM | WBECS | \$1858 | | Hot Surface Ignition System; Pilot on Demand System; LED Diagnostics; 12V Electronic Ignition; On/Off Operations ONLY; 24" Pilot Assembly; CSA Certified Control System; Max Inlet 14" W.C.; Valve Temp Rating 175°; 265,000 BTU (NG/LP) | GCRK (On/Off) Remote VBPB12/24 | All Fire-Pits; All Fire-Tables; Outdoor Burners |
| HIGH CAPACITY (500K BTU) WEATHER BEATER ELECTRONIC CONTROL SYSTEM | HC-WBECS | \$2150 | OUT | Hot Surface Ignition System; Pilot on Demand System; LED Diagnostics; 12V Electronic Ignition; On/Off Operations ONLY; 24" Pilot Assembly; CSA Certified Control System; Max Inlet 14" W.C.; V Valve Temp Rating 175°; 500,000 BTU (NG/LP) | GCRK (On/Off) Remote VBPB12/24 | All Fire-Pits; All Fire-Tables; Outdoor Burners |

INDOOR/OUTDOOR = I/O; INDOOR = IN; OUTDOOR = OUT



SELECT YOUR VENTLESS LOG SET



VENTLESS LOGS - Ventless Systems: All logs manufactured by Grand Canyon Gas Logs are individually cast and hand painted to perfection. All logs are built with a high temperature concrete with a ceramic refractory and stainless steel fiber mesh. Logs installed indoors carry a lifetime warranty, burners carry a lifetime warranty, valves/remotes carry a 2 year warranty, and ODS carry a 1 year warranty. Indoor Logs compatible with Grand Canyon Gas Log "Vulcan" Ventless Burner ONLY.

| VENTLESS GAS LOG SET | MODEL# | 18" | 24" | 30" |
|-----------------------------|--------|-------------------------|--------------------------|--------------------------|
| WEATHERED OAK (WO) | VFWO## | \$331 28#/1/7 | \$390 40#/1/10 | \$461 48#/1/10 |
| RED OAK (RO) | VFRO## | \$331 28#/1/7 | \$390 40#/1/10 | \$461 48#/1/10 |
| SPLIT OAK (SO) | VFSO## | \$331 28#/1/7 | \$390 40#/1/10 | \$461 48#/1/10 |
| ASPEN BIRCH (AB) | VFAB## | \$331 28#/1/7 | \$390 40#/1/10 | \$461 48#/1/10 |

Weight/Boxes/Log Number in Set









WEATHERED OAK (VFW018)

RED OAK (VFRO24)

SPLIT OAK (VFSO30)

ASPEN BIRCH (VFAB24)

SELECT YOUR VENTLESS BURNER



VENTLESS BURNERS - Ventless Burners come factory mounted with valves, pilots, and ignition system. All Canyon Series Ventless Burners also are factory tested and duel certified to the vented and ventless ANSI standards.

| VENTLESS BURNERS | MODEL# | 18" | 24"/30" |
|-----------------------------------|---------------|------------------------|------------------------|
| MILLIVOLT VENTLESS BURNER | VFVUL##M(N/P) | \$1020 25#/1 | \$1081 28#/1 |
| VARIABLE VENTLESS BURNER | VFVUL##V(N/P) | \$1114 25#/1 | \$1175 28#/1 |
| VARIABLE ELECTRIC VENTLESS BURNER | VFVUL##E(N/P) | \$1367 25#/1 | \$1428 28#/1 |

Logs Not Included

Grand Canyon Gas Logs: Logs - **All** Canyon Series Ventless Burners Come with Valves, Pilots, and Ignition System. All Canyon Series Ventless Burners are also Factory Tested and Dual Certified to the Vented & Ventless Ansi Standards.

| FIREPLACE FLOOR SIZE FOR BURNERS WHEN CONNECTED TO GAS LINE IN FIREPLACE DIRECTLY | | | | | | | | | |
|---|----------|-------|---------------------------|-------|-----------|----------|---------|--------|------|
| FIREPLACE SIZE REQUIREMENT O | | MIN. | MIN. FIREPLACE DIMENSIONS | | BTU'S NAT | URAL GAS | BTU'S P | ROPANE | |
| BURNER SIZE | LOG SIZE | FRONT | REAR | DEPTH | HEIGHT | LOW | HIGH | LOW | HIGH |
| 18" | 18" | 22" | 20" | 13" | 18" | 26K | 35K | 24K | 32K |
| 24" | 24" | 28" | 20" | 14" | 18" | 19K | 37K | 19K | 37K |
| 24" | 30" | 34" | 20" | 14" | 18" | 19K | 37K | 19K | 37K |



SELECT YOUR OUTDOOR FIRE PIT KIT



FIRE PIT STACK SETS – Outdoor Fire Pit use only, Grand Canyon Gas Logs Round Flat, Round Tall, and Tee-Pee Stack offer a plug and play solution for existing and new construction fire pits. **Choose your stack style, your gas type, controls, and finally one of 3 different log styles.** Build your own enclosure or choose one of our outdoor GFRC Fire Bowls.

| ROUND FLAT STACK KITS | MODEL# | 18" | 24" | 30" | 36" | 48" |
|--|-----------------|----------------------|----------------------|----------------------|----------------------|----------------------|
| ROUND FLAT STACK (RFS) NG | RFS-##-NG | \$308 00# | \$351 00# | \$424 00# | \$ 570 0# | \$659 00# |
| ROUND FLAT STACK (RFS) LP | RFS-##-LP | \$406 00# | \$498 00# | \$718 00# | \$ 898 00# | \$1270 00# |
| ROUND FLAT STACK ELECTRONIC START (RFWBECS) NG** | RFS-##-WBECS-NG | \$2246 00# | \$2338 00# | \$2559 00# | \$2803 0# | \$3110 00# |
| ROUND FLAT STACK ELECTRONIC START (RFWBECS) LP** | RFS-##-WBECS-LP | \$2246 00# | \$2338 00# | \$2559 00# | \$2803 00# | \$3110 00# |

*Includes Burner, Lava, Key Valve, and Fittings. **All Electronic Ignition Systems Require 120 Volts of Power Ran to the Fire Pit for Valve to Operate. LP Models Includes Stainless Steel Disc and WBECS Models.



ROUND FLAT STACK ELECTRONIC START (RFWBECS) NG (RFS-36-WBECS-NG)



ROUND TALL STACK ELECTRONIC START (RTWBECS) LP (RTS-30-WBECS-LP)

| ROUND TALL STACK KITS | MODEL# | 18" | 24" | 30" | 36" | 48" |
|--|-----------------|----------------------|----------------------|----------------------|---------------------|----------------------|
| ROUND TALE STACK KITS | WODLL# | | | | | |
| ROUND TALL STACK (RTS) NG | RTS-##-NG | \$390 00# | \$433 00# | \$528 00# | \$ 699 0# | \$787 00# |
| ROUND TALL STACK (RTS) LP | RTS-##-LP | \$489 00# | \$ 580 00# | \$788 00# | \$1070 00# | \$1399 00# |
| ROUND TALL STACK ELECTRONIC START (RTWBECS) NG** | RTS-##-WBECS-NG | \$2328 00# | \$2420 00# | \$2640 00# | \$2932 0# | \$3239 00# |
| ROUND TALL STACK ELECTRONIC START (RTWBECS) LP** | RTS-##-WBECS-LP | \$2328 00# | \$2420 00# | \$2640 00# | \$2932 00# | \$3239 00# |

*Includes Burner, Torch Star, Lava, Key Valve, and Fittings. **All Electronic Ignition Systems Require 120 Volts of Power Ran to the Fire Pit for Valve to Operate. LP Models Includes Stainless Steel Disc and WBECS Models.



SELECT YOUR OUTDOOR FIRE PIT KIT (CONT)



TEE-PEE STACK (TPS) (TPS-36-NG)

| TEE-PEE STACK KITS | MODEL# | 24" | 30" | 36" | 48" |
|---|-----------------|----------------------|----------------------|---------------------|----------------------|
| TEE-PEE STACK (TPS) NG | TPS-##-NG | \$878 00# | \$989 00# | \$1171 0# | \$1258 00# |
| TEE-PEE STACK (TPS) LP | TPS-##-LP | \$1025 00# | \$1285 00# | \$1564 00# | \$1870 00# |
| TEE-PEE STACK ELECTRONIC START (TPWBECS) NG** | TPS-##-WBECS-NG | \$2865 00# | \$3124 00# | \$3404 0# | \$3710 00# |
| TEE-PEE STACK ELECTRONIC START (TPWBECS) LP** | TPS-##-WBECS-LP | \$2865 00# | \$3124 00# | \$3404 00# | \$3710 00# |

^{*}Includes Burner, Lava, Key Valve, and Fittings. **All Electronic Ignition Systems Require 120 Volts of Power Ran to the Fire Pit for Valve to Operate. LP Models Includes Stainless Steel Disc and WBECS Models.



ARIZONA WEATHERED OAK 9 PC LOG SET (FPAWO-18/24)



WESTERN DRIFTWOOD 9 PC LOG SET (FPWD-18/24)



ASPEN (BIRCH) 9 PC LOG SET (FPASP-18/24)

| FIRE PIT LOG SETS | MODEL# | MSRP |
|---------------------------------------|-------------|--------|
| ARIZONA WEATHERED OAK - 9 PC LOG SET | FPAWO-18/24 | \$325 |
| ARIZONA WEATHERED OAK - 16 PC LOG SET | FPAWO-30/36 | \$638 |
| ARIZONA WEATHERED OAK - 31 PC LOG SET | FPAWO-48 | \$1640 |
| WESTERN DRIFTWOOD - 9 PC LOG SET | FPWD-18/24 | \$325 |
| WESTERN DRIFTWOOD - 16 PC LOG SET | FPWD-30/36 | \$638 |
| WESTERN DRIFTWOOD - 31 PC LOG SET | FPWD-48 | \$1640 |
| ASPEN (BIRCH) - 9 PC LOG SET | FPASP-18/24 | \$325 |
| ASPEN (BIRCH) - 16 PC LOG SET | FPASP-30/36 | \$638 |
| ASPEN (BIRCH) - 31 PC LOG SET | FPASP-48 | \$1640 |



OUR OUTDOOR FIRE PRODUCTS



OUTDOOR FIRE PIT BURNERS – 304 Stainless Steel fire feature burners are easily dropped into an existing fire pit. Outdoor Fire Pit Burners include 3-Spoke Ring Burners, reinforced H Burners, and center feed T Burners. Add a kit to any size to include your flex line, key valve, and natural gas orifices. Propane orifices available as well as round Stainless Steel disc plates.

| OUTDOOR 304 STAINLESS STEEL BURNERS | MODEL# | 6" | 12" | 18" | 24" | 30" | 36" | 48" | 60" | 72" |
|-------------------------------------|------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 3-SPOKE STAINLESS STEEL RING | FRS## | \$72 | \$122 | \$143 | \$192 | \$293 | \$357 | \$486 | | |
| H BURNER | HBSS## | | \$82 | \$95 | \$107 | \$145 | \$157 | \$170 | \$221 | \$282 |
| T BURNER | TBSS## | | | | | | \$95 | \$126 | \$170 | \$200 |
| 3-SPOKE STAINLESS STEEL RING KIT* | FRS##-NGK | \$211 | \$257 | \$276 | \$325 | \$435 | \$495 | \$624 | | |
| H BURNER KIT** | HBSS##-NGK | | \$196 | \$209 | \$221 | \$239 | \$245 | \$263 | \$294 | \$342 |
| T BURNER KIT*** | TBSS##-NGK | | | | | | \$196 | \$227 | \$257 | \$288 |

^{*}Fire Ring Kit: 304 Stainless Steel Fire Ring, (NG) Orifice, 36" Flex Line, Connection Fittings, and 1/2" Key Valve (6" - 24") 3/4" (30" - 48").

PROPANE ORIFICE FOR OUTDOOR BURNERS - \$25

OAS-LP47 .. 50K BTU'S | 6"-12" FIRE RING

OAS-LP41... 75K BTU'S | 18" FIRE RING | 12"-18" H BURNER

OAS-LP35 .. 100K BTU'S | 24" FIRE RING | 24" H BURNER | 36" T BURNER

OAS-LP31 .. 125K BTU'S | 30"-36" H BURNER | **48" T BURNER**

OAS-LP29 .. 150K BTU'S | 48" H BURNER | 72" T BURNER

OAS-LP26 .. 175K BTU's | 60" H BURNER

OAS-LP22 .. 200K BTU's | 72" H BURNER | 72" T BURNER

OAS-LP12... 300K BTU's | 30"-48" FIRE RING INCLUDES 3/4" CONNECTIONS

OAS-LP..... PROPANE ORIFICE

DOOR ACCES



DROP-IN PANS - Round, linear, and rectangular Drop-In Pans are constructed out of 100% 304 Stainless Steel. Rectangular and Linear Pans feature folded edges with reinforcement to eliminate buckling. All pans include burners, NG/LP orifice, connection fittings, and flex line.

| OUTDOOR 304 STAINLESS STEEL DROP-IN PANS | MODEL# | 19" | 24" | 25" | 30" | 31" | 36" | 48" | 60" | 72" |
|--|------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| ROUND STAINLESS STEEL DROP-IN PAN | DIP-RD-## | \$477 | | \$566 | | \$751 | | | | |
| RECTANGULAR STAINLESS STEEL DROP-IN PAN | DIP-REC-## | | \$354 | | \$439 | | \$501 | \$606 | | |
| LINEAR STAINLESS STEEL DROP-IN PAN | DIP-LN-## | | | | | | \$416 | \$477 | \$538 | \$606 |
| OTRAIGUT RALL MALVE GURGAME DI ATE/O MEV | | | MOD | VEL # | | | | MODD | | |

| STRAIGHT BALL VALVE CHROME PLATE w/3 KEY | MODEL# | MSRP |
|--|-------------|------|
| STRAIGHT BALL VALVE CHROME PLATE w/3 KEY | CP.BVS.CR.B | \$73 |
| FITTINGS & FLEX LINE KIT - 1/2" x 16" FLEXLINE | BAK-12FFL | \$46 |



^{**}H Burner Kit: 304 Stainless Steel H Burner, (NG) Orifice, 36" Flex Line, Connection Fittings, and 1/2" Key Valve.

^{***}T Burner Kit: 304 Stainless Steel T Burner, (NG) Orifice, 36" Flex Line, Connection Fittings, and 1/2" Key Valve.

SELECT FIRE TABLE







GFRC FIRE TABLES - Glass reinforced concrete (GFRC) fire tables are American made and designed to create a gathering or entertaining area. 18" tall table are to be hard piped in Natural Gas or Propane. Where the 24" tall tables are Propane ONLY with a LP tank access door and thermocouple safety pilot system.

- Color selection. Black (BLK); White with Black Wash (WHT); Gray with Black Wash (GRY); Rust* (RST); or Bone* (BON).
* Colors Are Not Stocked and Custom Made, 4 Week Lead Time Order.

| | FIRE PIT TABLES -18" HIGH | MODEL# | MSRP |
|----|---|-----------------------|--------|
| | OLYMPUS RECTANGULAR FIRE PIT TABLE - 60"L 18"H | ORECFT-603018-###-N/P | \$3504 |
| ID | OLYMPUS RECTANGULAR FIRE PIT TABLE - 72"L 18"H | ORECFT-723018-###-N/P | \$4088 |
| | OLYMPUS SQUARE FIRE PIT TABLE | OSQRFT-484818-###-N/P | \$3504 |
| | OLYMPUS ROUND FIRE PIT TABLE | ORNDFT-444418-###-N/P | \$3504 |
| | FIRE PIT TABLES -24" HIGH | MODEL# | MSRP |
| | OLYMPUS RECTANGULAR FIRE PIT TABLE - 60"L 24" H | ORECFT-603024-###-P | \$3971 |
| ID | OLYMPUS RECTANGULAR FIRE PIT TABLE - 72"L 24" H | ORECFT-723024-###-P | \$5023 |
| | | | |
| | OPTIONAL UPGRADE FIRE ROUND TABLE COVER | COVER-ORFT-4848 | \$148 |
| | OPTIONAL UPGRADE FIRE SQUARE TABLE COVER | COVER-OSFT-4848 | \$148 |
| | OPTIONAL UPGRADE FIRE RECTANGLE TABLE COVER | COVER-ORECFT-6030 | \$148 |

| Fire Tables Require 30 lbs. of Glass or Lava Rock. Tables are Made with Concrete Mix and Colors May Vary from One | e Another. |
|---|------------|
|---|------------|

| ND | GLASS WIND GUARDS | MODEL# | MSRP |
|----|------------------------------|---------|-------|
| 1 | GLASS WIND GUARD FOR 36" LN | GWG-L36 | \$244 |
| | GLASS WIND GUARD FOR 48" LN | GWG-L48 | \$352 |
| | GLASS WIND GUARD FOR 19" RND | GWG-R19 | \$282 |



SELECT FIRE BOWL







GFRC FIRE BOWLS - Completely customizable: Choose your size, color, burner style (Ring or Tee-Pee), gas type, and controls. Additional options not included in MSRP are Lava Rock or 1/2" Reflective Fire Glass and 1 of 3 unique fire pit log species (Arizona Weathered Oak, Western Driftwood, and Aspen White Birch). Glass reinforced concrete (GFRC) fire bowls are American made and designed to create a gathering or entertaining area. Choose from two sizes: 48" diameter (top) x 16" deep or 39" diameter (top) x 13" deep, comes with burner, SS disc ring, and gas orifice.

- Color Selection. Black (BLK); White with Black Wash (WHT); Gray with Black Wash (GRY); Rust* (RST); or Bone* (BON).
* Colors Are Not Stocked and Custom Made, 4-6 Weeks Lead Time Order.

R = Ring **TP** = Tee Pee Burner **NG** = Natural Gas **P** = Propane

Shown with Logs Not Included in Price, Logs are Separate Order.

| FIRE BOWLS | MODEL# | MSRP |
|--|---|------------------------|
| FIRE BOWL - 39" x 13" (NATURAL GAS) *Includes 30" Fire Ring Burner, 33" SS Disc, NG Orifice, Small Install Kit & F | FB3913-R-N-### Feet (Select-Additional Cost: 90 lbs. of Glass or 50 lbs. of Lava F | \$2751 |
| FIRE BOWL - 39" x 13" (PROPANE) *Includes 30" Fire Ring Burner, 33" SS Disc, LP Orifice, Small Install Kit & F | FB3913-R-P-### Feet (Select-Additional Cost: 90 lbs. of Glass or 50 lbs. of Lava R | \$2751 ock) |
| FIRE BOWL - 39" x 13" (NATURAL GAS) *Includes 30" Tee Pee Burner, 33" SS Disc, NG Orifice, Small Install Kit & Fe | FB3913-TP-N-### eet (Select-Additional Cost: 90 lbs. of Glass or 50 lbs. of Lava Ro | \$3290 ock) |
| FIRE BOWL - 39" x 13" (PROPANE) *Includes 30" Tee Pee Burner, 33" SS Disc, LP Orifice, Small Install Kit & Fe | FB3913-TP-P-### eet (Select-Additional cost: 90 lbs. of Glass or 50 lbs. of Lava Ro | \$3290 ck) |
| FIRE BOWL - 48" x 16" (NATURAL GAS) *Includes 36" Fire Ring Burner, 40" SS Disc, NG Orifice, Large Install Kit & F | FB4816-R-N-### Feet (Select-Additional Cost: 190 lbs. of Glass or 70 lbs. of Lava | \$4241 Rock) |
| FIRE BOWL - 48" x 16" (PROPANE) *Includes 36" Fire Ring Burner, 40" SS Disc, LP Orifice, Large Install Kit & F | FB4816-R-P-### Feet (Select-Additional Cost: 190 lbs. of Glass or 70 lbs. of Lava | \$4241 Rock) |
| FIRE BOWL - 48" x 16" (NATURAL GAS) *Includes 36" Tee Pee Burner, 40" SS Disc, NG Orifice, Large Install Kit & Fe | FB4816-TP-N-### eet (Select-Additional Cost: 190 lbs. of Glass or 70 lbs. of Lava F | \$4815 Rock) |
| FIRE BOWL - 48" x 16" (PROPANE) *Includes 36" Tee Pee Burner, 40" SS Disc, LP Orifice, Large Install Kit & Fe | FB4816-TP-P-### eet (Select-Additional Cost: 190 lbs. of Glass or 70 lbs. of Lava R | \$4815 ock) |
| OPTIONAL COVER ROUND 39D X 13 FIRE BOWL | COVER-FB-3913 | \$120 |
| OPTIONAL COVER ROUND 48D X 16 FIRE BOWL | COVER-FB-4816 | \$152 |



KIVA SETS







AZ WEATHERED OAK KIVA LOGS (AWO-KIVALOGS)



ASPEN KIVA LOGS (ASPEN-KIVALOGS)



KIVA BURNER (KIVABRN-24)

White



KIVA BURNER STAINLESS STEEL (KIVABRN-24-SS)

| , | , | , | | | , |
|---|------------------------|-------|-------|-----------|-------|
| KIVA SERIES SETS | MODEL# | MSRP | 18" | 24" | 30" |
| ARIZONA WEATHERED OAK KIVA LOGS | AWO-KIVALOGS | \$249 | ONE | SIZE FITS | ALL |
| ARIZONA JUNIPER KIVA LOGS | AJ-KIVALOGS | \$249 | ONE | SIZE FITS | ALL |
| ASPEN KIVA LOGS | ASPEN-KIVA LOGS | \$302 | ONE | SIZE FITS | ALL |
| KIVA BURNER | KIVABRN-## | | \$308 | \$377 | \$448 |
| KIVA BURNER STAINLESS STEEL | KIVABRN-##-SS | | \$529 | \$579 | \$624 |

^{*}Designed for Adobe Lit Kiva Fireplaces, Burners Size to Fit Adobe Kiva Fireplace.







FIREGLASS DISPLAY RACK (GLASS RACK)



GFRC FIRE-TABLE COLOR DISPLAY SAMPLE (COLOR-CHIPS)

Rust

Gray

Bone

POINT OF PURCHASE MATERIAL

| ı | OG | DI | SPI | ΔV | RΔ | CKS |
|---|--------------|--------------------|-----|-----|-----|-----|
| _ | \mathbf{v} | $\boldsymbol{\nu}$ | J I | - 1 | 11/ | |

| THREE TIER DISPLAY RACK | MODEL# | NET COST | | | | |
|---|--------------|----------|--|--|--|--|
| 3 TIER DISPLAY RACK | DISPLAY RACK | \$501 | | | | |
| GLASS CONTAINER DISPLAY RACKS - Holds Up to 90 Containers, 5 Shelves. | | | | | | |

FIREGLASS DISPLAY RACK

MODEL#

NET COST

FIREGLASS DISPLAY RACK

GLASS RACK

\$487

GLASS COLOR CHIP DISPLAY - All Seven Colors Available.

GLASS COLOR CHIP DISPLAY

6 SECTION GLASS DISPLAY

MODEL#

NET COST

GLASSBOX

\$7

GFRC FIRE-TABLE COLOR DISPLAY - All Five Colors Available.

| GFRC FIRE-TABLE COLOR DISPLAY SAMPLES | MODEL# | NET COST |
|---|-------------|----------|
| COLOR SAMPLE 5 PACK GRAY, CHARCOAL BLACK, | COLOR-CHIPS | \$32 |
| RUST, WHITE, BONE | | |

GRAND CANYON GAS LOGS SALES BROCHURES

| SALES BROCHURES | MODEL# | MSRP |
|-----------------------------|----------------------------------|------|
| INDOOR BROCHURE | 2023-INDOOR | FREE |
| OUTDOOR BROCHURE | 2023-OUTDOOR | FREE |
| VENTLESS FLYER | 2022-VENTLESS | FREE |
| BEDROCK LINEAR BURNER FLYER | GCGL BEDROCK CATALOGS 2022 | FREE |
| GLOWFIRE™ FLYER | GCGL GLOWFIRE™ LAVA BURNER FLYER | FREE |



REPLACEMENT PARTS

| PILOT ASSEMBLIES | MODEL# | USE | MSRP |
|--|----------------|---|-------|
| 18" NATURAL GAS THERMOCOUPLE PILOT ASSEMBLY | SPK-PILOT-18 | Safety Pilot and Modulating Millivolt | \$79 |
| 18" PROPANE THERMOCOUPLE PILOT ASSEMBLY | SPK-PILOT-18P | Safety Pilot and Modulating Millivolt | \$79 |
| 18" MILLIVOLT PILOT ASSEMBLY NG | MV-PILOT-18 | Millivolt and HC Millivolt | \$126 |
| 18" MILLIVOLT PILOT ASSEMBLY LP | MV-PILOT-18P | Millivolt and HC Millivolt | \$126 |
| 36" MILLIVOLT PILOT ASSEMBLY NG | MV-PILOT-36 | Millivolt and HC Millivolt | \$144 |
| 36" MILLIVOLT PILOT ASSEMBLY LP | MV-PILOT-36P | Millivolt and HC Millivolt | \$144 |
| 120" ELECTRONIC PILOT ASSEMBLY NG | ELE-PILOT-120 | EIS Indoor / Outdoor | \$246 |
| 120" ELECTRONIC PILOT ASSEMBLY LP | ELE-PILOT-120P | EIS Indoor / Outdoor | \$246 |
| 72" ELECTRONIC PILOT ASSEMBLY NG | ELE-PILOT-72 | EIS Indoor / Outdoor | \$221 |
| 72" ELECTRONIC PILOT ASSEMBLY LP | ELE-PILOT-72P | EIS Indoor / Outdoor | \$221 |
| 24" PILOT ASSEMBLY FOR BATTERY ELECTRONIC | MVK-PILOT-24 | Battery Electronic | \$101 |
| 24" PILOT ASSEMBLY FOR BATTERY ELECTRONIC LP | MVK-PILOT-24P | Battery Electronic | \$101 |
| LP CONVERSION KIT ORIFICE AND AIR MIXER ASSEMBLY | LP-CONV | 2BRN, 3BRN, Jumbo Jumbo Slim, GLASSBRN, and Kiva | \$54 |



HIGH OUTPUT MILLIVOLT (700-506)



36" MILLIVOLT PILOT ASSEMBLY NG (MV-PILOT-36)



18" Propane Thermocouple Pilot Assembly (SPK-PILOT-18P)

| VALVES | MODEL# | USE | MSRP |
|---|----------|-----------------------------------|-------|
| NG->LP CONVERSION KIT | 1751-016 | MVQMKN / LP HCMVQMKN / LP ALL EIS | \$30 |
| HIGH OUTPUT MILLIVOLT NATURAL GAS | 700-506 | HCMVQMKN / HCMVQMKLP | \$359 |
| STANDARD MILLIVOLT GAS VALVE NATURAL GAS | 710-502 | MVQMKN/MVQMKLP | \$268 |
| 200K BTU HEATING KIT NON-LOCKOUT | 712-017 | EIS / EIS-OUTDOOR | \$546 |
| 350K BTU VALVE - ELECTRONIC W/O TRNSFMR,PILOT TUBE & BRNR | 712-006 | EIS-350 / EIS-OUTDOOR-350 | \$807 |
| VENTED MANUAL SAFETY VALVE SKYTECH | AF-1000 | MMVKR-N / LP | \$131 |



REPLACEMENT PARTS







36" THERMOPILE LEAD (1950-001)



SKYTECH VARIABLE/THERMOSTAT REMOTE/RECEIVER (SR1001TH-1-GC)

| CONTROL ASSEMBLIES | MODEL# | USE | MSRP |
|--|---------------|--|-------|
| SPARK IGNITER ASSEMBLY 10' | 1751-120 | EIS W/10' PILOT | \$175 |
| SPARK IGNITER ASSEMBLY | 1751-749 | EIS W/6' PILOT | \$110 |
| 18" THERMOCOUPLE | 1900-01H | Safety Pilot and Modulating Millivolt | \$19 |
| 36" THERMOPILE LEAD | 1950-001 | Millivolt and HC | \$60 |
| 24V TRANSFORMER -FOOTMOUNT FOOTMOUNT HARDWIRE | 620-403 | Millivolt | \$68 |
| IGNITION MODULE (NON-LOCKOUT) IPI IGNITION (ROBERTSHAW) | 780-715 | ALL EIS | \$356 |
| IGNITION MODULE (LOCKOUT) IPI IGNITION (ROBERTSHAW) | 780-845 | EIS-350 and EIS-720 | \$453 |
| 12V TRANSFORMER WEATHER BEATER | TR-120-12 | Weather Beater | \$117 |
| VARIABLE FLAME MOTOR DRIVE FOR RCAF-1020-1 REMOTE CONTROL | AF-1000MH-L | MMVKR-NG/LP | \$105 |
| ON/OFF/HI/LOW TRANSMITTER, RECEIVER, AND BATTERIES VENTED | RCAF-1020-1 | MMVKR-NG/LP | \$164 |
| VARIABLE/THERMOSTAT REMOTE/RECEIVER VENTLESS | SR1001TH-1-GC | Variable Ventless | \$218 |

| OUTDOOR TP BURNER | MODEL# | 24" | 30" | 36" | 48" |
|--------------------|---------|-------|-------|--------|--------|
| OUTDOOR TP BURNERS | OTPB-## | \$753 | \$867 | \$1030 | \$1169 |

| STAINLESS STEEL DISCS | MODEL# | 18" | 24" | 30" | 36" | 48" |
|-----------------------|---------|--------|-------|-------|-------|-------|
| STAINLESS STEEL DISCS | DISC-## | \$ 100 | \$201 | \$335 | \$401 | \$714 |





RPG BRANDS







www.GrandCanyonGasLogs.com

PHONE: 602-344-4217

customerservice@grandcanyongaslogs.com

Copyright © 2024 RPG Brands and Grand Canyon Gas Logs. All rights reserved. Products and specifications subject to change without notice.